TIMBERON SUBDIVISION

UNIT-15

PORTION OF SECTIONS 11, 14 & 23
T-19-S, R-12-E, N.M.P.M.
OTERO COUNTY, NEW MEXICO

445 LOTS — 171.370 ACRES
Scale: 1"=200' — February 1980
BASIL SMITH ENGINEERING COMPANY
El Paso, Texas





Future R.V.P. Section 2 (Not a Part of This Plat)

R.V.P. Section 1

Equestrian Park (Not a Part of This Plat)

Sewage Plant

Stables

Curve Data

Centerline Curve Data

Dedication

STATE OF NEW MEXICO)
COUNTY OF OTERO) S.S.

This is to certify that this Plat of Blocks 162, 163, 164, 165, 166, 167, 168, 169 and portions of Blocks 170, 171, 172 and 173, Unit 15, Timberon Subdivision, a Subdivision in Otero County, New Mexico, is made with the free consent and in accordance with the desires of the undersigned owners and proprietors thereof, who by the filing of this Plat do hereby dedicate to the use of the Public the Roadways, Parking Areas, Parks and Utility Easements shown thereon.

In witness whereof said owners and proprietors have set their hands and seals this 3RD day of JUNE, 1980.

North American Land Developments Inc.

By: Johnny F. Mobley
President, Johnny F. Mobley

Attest: N.S. Henry
Assistant Secretary-Treasurer, N.S. Henry

Acknowledgement

STATE OF NEW MEXICO)
COUNTY OF OTERO) S.S.

The foregoing instrument was acknowledged to me by Johnny F. Mobley and N.S. Henry, being the President and Assistant Secretary-Treasurer respectively of North American Land Developments Inc., in behalf of said Inc., on this 3rd day of June, 1980.

OFFICIAL SEAL
Notary Public L. Sue Jesperson
NOTARY PUBLIC NEW MEXICO
NOTARY BOND FILED WITH SECRETARY OF STATE
My Commission Expires 3/14/83

My Commission expires
Filing

STATE OF NEW MEXICO)
COUNTY OF OTERO) S.S.

I hereby certify that this instrument was filed for record on the 17 day of Sept. 1980, at 4:15 o'clock P.M., and duly recorded in Book 26 Page 53-62 of the Records of Otero County.

By: Helen Ochoa, Deputy
Margaret D. Sanders, County Clerk

Approval

STATE OF NEW MEXICO)
COUNTY OF OTERO) S.S.

This Plat of Blocks 162 Through 169 (Inclusive) and Portions of Blocks 170 through 173 (Inclusive) Unit 15 Timberon Subdivision was approved by the Otero County Commission on this 8TH day of SEPT., 1980.

William F. Manlon, Chairman
Attest: Margaret D. Sanders, County Clerk

Engineer's Certificate

I, Basil R. Smith, Registered Professional Civil Engineer and Land Surveyor, certify this to be a true Plat of Survey made by me or under my supervision in the field and that all measurements are true and correct to the best of my knowledge and belief.

Basil R. Smith, P.E. & L.S. Lic. No. N.M. 2857

This Subdivision lies within the platting and planning jurisdiction of Otero County, and is subject to the New Mexico Subdivision Act.

By: Deputy
Margaret D. Sanders, County Clerk

Developer

The Developer hereby agrees to construct at his own expense all roads in this Subdivision including but not limited to grading, drainage, base course, culverts and bridges.

The Restrictive Covenants applicable to this Subdivision are Recorded in Book 487 Page 695-97 of the Records of Otero County.

Disclosure statement as required by the New Mexico Subdivision Act is recorded in Book — Page — of the Records of Otero County.

Approved this — day of — 1980.

Examining Surveyor — N.M. Registration No.

Approved this 8TH day of SEPT. 1980.

OTERO COUNTY PLANNING COMMISSION
Robert R. Bell, Chairman
Carl O'Reed, Secretary

BOARD OF COUNTY COMMISSIONERS, OTERO COUNTY, NEW MEXICO
William F. Manlon, Chairman
Margaret D. Sanders, County Clerk
Approved this 27 day of Feb. 1980

SHEET 1 OF 5 SHEETS
T-15

TIMBERON SUBDIVISION

UNIT 15

CONTAINING 171.370 Ac.

PORTION OF SECTIONS 11, 14 & 23, T-19-S, R-12-E, N.M.P.M.

OTERO COUNTY, NEW MEXICO

Description

BEING the description of a parcel of land known as Unit 15, Timberon Subdivision and lying in and being a portion of Sections 11, 14 and 23, T-19-S, R-12-E, N.M.P.M. Otero County, New Mexico and being more particularly described by metes and bounds as follows:

BEGINNING at the corner common to Sections 11, 14, 22 and 23, T-19-S, R-12-E, N.M.P.M., Otero County, New Mexico; Thence North 32°35'55" East a distance of 1481.31 feet, to the most Southerly Southeast corner of Unit 9 of Timberon Subdivision and said point is the point of beginning of the parcel herein described;

THENCE North 1°02'00" East a distance of 857.04 feet, to a point;

THENCE North 90°57'00" East a distance of 677.42 feet, to a point;

THENCE due North a distance of 157.05 feet, to a point;

THENCE North 45°00'00" East a distance of 269.65 feet, to a point in the South R.O.W. line of a 50 foot wide road;

THENCE South 45°00'00" West a distance of 257.04 feet to a point;

THENCE continuing along said R.O.W. line a distance of 1250.07 feet along the arc of a curve to the left whose radius is 677.65 feet, whose central angle is 47°18'21" and whose long chord bears South 22°39'01" West a distance of 1145.70 feet, to a point;

THENCE North 80°58'12" West a distance of 50.00 feet, to the North R.O.W. line of said 50.00 foot wide road;

THENCE along said R.O.W. line a distance of 1420.17 feet, along the arc of a curve to the right whose radius is 967.68 feet, whose central angle is 84°01'00" and whose long chord bears North 16°00'30" East a distance of 1297.23 feet, to a point;

THENCE North 60°59'30" West a distance of 101.35 feet, to a point;

THENCE North 80°53'21" West a distance of 1280.75 feet, to a point on the East R.O.W. line of a 50 foot wide road;

THENCE along said R.O.W. line a distance of 60.00 feet along the arc of a curve to the left whose radius is 2117.08 feet, whose central angle is 1°37'21" and whose long chord bears South 05°23'50" West a distance of 60.00 feet, to a point;

THENCE North 80°58'12" West a distance of 50.00 feet, to a point in the West R.O.W. line of said 50 foot wide road;

THENCE along said R.O.W. line a distance of 209.25 feet along the arc of a curve to the right whose radius is 967.68 feet, whose central angle is 12°23'21" and whose long chord bears North 02°33'20" East a distance of 208.84 feet, to a point;

THENCE North 45°00'00" East continuing along said R.O.W. line a distance of 60.16 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 85.82 feet along the arc of a curve to the left whose radius is 60.00 feet, whose central angle is 78°30'10" and whose long chord bears North 08°34'55" East a distance of 79.75 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 64.36 feet along the arc of a curve to the right whose radius is 380.40 feet, whose central angle is 9°41'50" and whose long chord bears North 13°55'05" West a distance of 64.29 feet, to a point;

THENCE due North along said R.O.W. line a distance of 670.98 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 200.00 feet along the arc of a curve to the right whose radius is 311.82 feet, whose central angle is 36°45'00" and whose long chord bears North 19°15'00" East a distance of 196.61 feet, to a point;

THENCE a distance of 31.42 feet along the arc of a curve to the left whose radius is 20.00 feet, whose central angle is 90°00'00" and whose long chord bears North 06°30'00" West a distance of 28.28 feet to a point;

THENCE North 51°30'00" West along the South R.O.W. line of a 50 foot wide road a distance of 117.32 feet to a point;

THENCE North 38°30'00" East a distance of 305.00 feet to a point;

THENCE North 19°12'00" East a distance of 1382.74 feet to a point;

THENCE South 70°48'00" East a distance of 120.00 feet to a point in the West R.O.W. line of a 50 foot wide road;

THENCE North 19°12'00" East along said R.O.W. line a distance of 70.00 feet to a point;

THENCE South 70°48'00" East a distance of 50.00 feet to a point;

THENCE a distance of 31.42 feet along the arc of a curve to the left whose radius is 20.00 feet, whose central angle is 90°00'00" and whose long chord bears South 25°48'00" East a distance of 28.28 feet to a point;

THENCE South 70°48'00" East along the North R.O.W. line of a 50 foot wide road a distance of 688.00 feet to a point;

THENCE continuing along said R.O.W. line a distance of 111.47 feet along the arc of a curve to the left whose radius is 300.24 feet, whose central angle is 21°16'00" and whose long chord bears South 79°31'00" East a distance of 110.82 feet, to a point;

THENCE South 88°12'00" East continuing along said R.O.W. line a distance of 1276.70 feet, to a point;

THENCE a distance of 31.42 feet along the arc of a curve to the left whose radius is 20.00 feet, whose central angle is 90°00'00" and whose long chord bears North 43°48'00" East a distance of 28.28 feet to a point;

THENCE South 88°12'00" East a distance of 50.00 feet to a point;

THENCE South 01°48'00" West along the East R.O.W. line of a 50 foot wide road a distance of 105.00 feet to a point;

THENCE continuing along said R.O.W. line a distance of 208.74 feet along the arc of a curve to the right whose radius is 372.36 feet, whose central angle is 32°06'00" and whose long chord bears South 74°45'00" West a distance of 206.03 feet, to a point;

THENCE South 33°50'00" West continuing along said R.O.W. line a distance of 1195.00 feet to a point;

THENCE continuing along said R.O.W. line a distance of 1907.71 feet along the arc of a curve to the left whose radius is 771.24 feet, whose central angle is 141°12'00" and whose long chord bears South 76°40'30" West a distance of 1492.21 feet, to a point;

THENCE South 19°31'00" West continuing along said R.O.W. line a distance of 1240.00 feet to a point;

THENCE continuing along said R.O.W. line a distance of 908.92 feet along the arc of a curve to the right whose radius is 353.80 feet, whose central angle is 33°30'00" and whose long chord bears South 36°06'00" West a distance of 895.90 feet, to a point;

THENCE South 53°21'00" West continuing along said R.O.W. line a distance of 93.00 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 130.40 feet along the arc of a curve to the left whose radius is 163.47 feet, whose central angle is 55°54'00" and whose long chord bears South 25°24'00" West a distance of 153.04 feet, to a point;

THENCE South 02°33'00" East continuing along said R.O.W. line a distance of 170.00 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 159.43 feet along the arc of a curve to the right whose radius is 315.35 feet, whose central angle is 28°58'00" and whose long chord bears South 11°56'00" West a distance of 157.72 feet, to a point;

THENCE South 26°25'00" West continuing along said R.O.W. line a distance of 35.00 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 125.59 feet along the arc of a curve to the left whose radius is 178.15 feet, whose central angle is 40°23'00" and whose long chord bears South 06°36'30" West a distance of 122.99 feet to a point;

THENCE South 12°40'00" East continuing along said R.O.W. line a distance of 330.34 feet to a point;

THENCE South 78°00'00" West a distance of 50.00 feet to a point;

THENCE a distance of 31.42 feet along the arc of a curve to the left whose radius is 20.00 feet, whose central angle is 90°00'00" and whose long chord bears North 39°40'00" West a distance of 28.28 feet to a point;

THENCE South 75°20'00" West along the South R.O.W. line of a 50 foot wide road a distance of 21.88 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 157.35 feet along the arc of a curve to the right whose radius is 439.07 feet, whose central angle is 20°32'00" and whose long chord bears South 85°36'00" West a distance of 156.51 feet to a point;

THENCE North 84°08'00" West continuing along said R.O.W. line a distance of 25.00 feet to a point;

THENCE North 05°52'00" East a distance of 60.87 feet to a point;

THENCE North 04°26'00" West a distance of 167.50 feet to a point in the South R.O.W. line of a 50 foot wide road;

THENCE along said R.O.W. line a distance of 103.18 feet along the arc of a curve to the right whose radius is 233.10 feet, whose central angle is 25°21'20" and whose long chord bears South 13°16'00" West a distance of 102.35 feet to a point;

THENCE South 85°34'00" West continuing along said R.O.W. line a distance of 5.00 feet to a point;

THENCE a distance of 31.42 feet along the arc of a curve to the left whose radius is 20.00 feet, whose central angle is 90°00'00" and whose long chord bears South 40°34'00" West a distance of 28.28 feet to a point;

THENCE South 04°26'00" East along the East R.O.W. line of a 50 foot wide road a distance of 1.85 feet to a point;

THENCE continuing along said R.O.W. line a distance of 155.11 feet along the arc of a curve to the right whose radius is 112.70 feet, whose central angle is 78°50'30" and whose long chord bears South 35°00'30" West a distance of 143.09 feet, to a point;

THENCE South 74°26'00" West continuing along said R.O.W. line a distance of 1.00 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 205.14 feet along the arc of a curve to the right whose radius is 1005.63 feet, whose central angle is 11°41'00" and whose long chord bears South 77°05'30" West a distance of 204.78 feet to a point;

THENCE South 82°59'00" West continuing along said R.O.W. line a distance of 290.20 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 198.63 feet along the arc of a curve to the left whose radius is 763.80 feet, whose central angle is 14°54'00" and whose long chord bears South 75°32'30" West a distance of 198.10 feet to a point;

THENCE South 68°06'00" West continuing along said R.O.W. line a distance of 694.30 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 90.66 feet along the arc of a curve to the left whose radius is 969.84 feet, whose central angle is 5°21'00" and whose long chord bears South 0°46'30" East a distance of 90.63 feet, to a point;

THENCE South 10°44'00" East continuing along said R.O.W. line a distance of 180.79 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 162.82 feet along the arc of a curve to the right whose radius is 466.58 feet, whose central angle is 20°00'00" and whose long chord bears South 00°16'00" East a distance of 162.00 feet, to a point;

THENCE North 79°52'00" West a distance of 50.00 feet, to a point;

THENCE South 10°08'00" West along the West R.O.W. of said road a distance of 887.92 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 39.67 feet along the arc of a curve to the right whose radius is 917.95 feet, whose central angle is 2°28'15" and whose long chord bears South 13°12'30" West a distance of 39.66 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 34.62 feet along the arc of a curve to the right whose radius is 1018.91 feet, whose central angle is 1°56'00" and whose long chord bears South 01°29'15" West a distance of 34.33 feet, to a point;

THENCE South 2°17'15" West continuing along said R.O.W. line a distance of 108.28 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 193.03 feet along the arc of a curve to the right whose radius is 603.68 feet, whose central angle is 18°32'30" and whose long chord bears South 32°10'00" West a distance of 192.57 feet, to a point;

THENCE South 41°08'45" West continuing along said R.O.W. line a distance of 251.79 feet, to a point;

THENCE a distance of 31.42 feet along the arc of a curve to the left whose radius is 20.00 feet, whose central angle is 90°00'00" and whose long chord bears North 03°51'15" West a distance of 28.28 feet, to a point;

THENCE along the South R.O.W. line of a 50 foot wide road a distance of 160.16 feet along the arc of a curve to the left whose radius is 150.00 feet, whose central angle is 61°09'15" and whose long chord bears North 76°32'52" West a distance of 152.61 feet to a point;

THENCE South 75°47'30" West continuing along said R.O.W. line a distance of 81.79 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 267.81 feet along the arc of a curve to the right whose radius is 411.28 feet, whose central angle is 37°18'30" and whose long chord bears North 82°32'15" West a distance of 263.16 feet, to a point;

THENCE due North along the West R.O.W. line of said road a distance of 25.00 feet, to a point;

THENCE continuing along said R.O.W. line a distance of 213.41 feet along the arc of a curve to the right whose radius is 185.00 feet, whose central angle is 66°06'00" and whose long chord bears North 45°57'00" East a distance of 212.00 feet, to a point;

THENCE North 79°00'00" East a distance of 122.45 feet to a point;

THENCE North 11°04'00" East a distance of 637.00 feet to the point of beginning of the parcel being described and containing 171.370 acres of land more or less.

Dedication

STATE OF NEW MEXICO)
COUNTY OF OTERO) ss

This is to certify that the plat of Timberon Subdivision, Unit 15, situate in Sections 11, 14 and 23, T-19-S, R-12-E, N.M.P.M., Otero County, New Mexico is made with the consent and in accordance with the desires of the undersigned owners and proprietors thereof, the filing of which plat is hereby authorized, and the streets, alleys, parks and other grounds shown thereon not heretofore dedicated to public use are hereby dedicated to the use of the public for the purposes in such plat shown.

In witness whereof said owners and proprietors have set their hands and seals this 3RD day of JUNE, 1980.

North American Land Developments Inc

By: John L Mobley
President, Johnny L. Mobley

Attest: L Su Jesperson
Assistant Secretary-Treasurer, L. Su Jesperson

Acknowledgement

STATE OF NEW MEXICO)
COUNTY OF OTERO) ss

The foregoing instrument was acknowledged before me by Johnny L. Mobley and L. Su Jesperson, being the President and Assistant Secretary-Treasurer respectively of North American Land Developments Inc. a corporation, on said behalf, by this 3rd day of June, 1980.

Notary Public
My Commission expires

OFFICIAL SEAL
Signature L. SU JESPERSON
NOTARY PUBLIC NEW MEXICO
NOTARY BOND FILED WITH SECRETARY OF STATE
My Commission Expires 3/4/83

Filing

STATE OF NEW MEXICO)
COUNTY OF OTERO) ss

I hereby certify that this instrument was filed for record on the 17th day of Sept. 1980 at 11:30 o'clock A.M. and duly recorded in Book 486 Page 53-62 of the Records of Otero County.

By: Helen Ochoa, Deputy
Margaret D. Landers, County Clerk

Approval

STATE OF NEW MEXICO)
COUNTY OF OTERO) ss

This Plat of Blocks 166 through 183 (inclusive) and portions of Block 170 thru 175 (inclusive), Unit 15 Timberon Subdivision was approved by the Otero County Commission on this 8th day of Sept. 1980.

William E. Thornton, Chairman
Attest: Margaret D. Landers, County Clerk

Engineer's Certificate

I, Basil R. Smith, Registered Professional Civil Engineer and Land Surveyor, certify that I did prepare this Plat of Survey made by me or under my supervision, in the field and that all measurements are true and correct to the best of my knowledge and belief.

Basil R. Smith, P.E. & L.S. Lic. No. N.M. 6225

This Subdivision lies within the platting and planning jurisdiction of Otero County, and is subject to the New Mexico Subdivision Act.

By: Deputy
Margaret D. Landers, County Clerk

The Developer hereby agrees to construct at his own expense all roads in the Subdivision including but not limited to grading, drainage, base course, culverts and bridges.

John L Mobley, Developer

The Restrictive Covenants applicable to this Subdivision are recorded in Book 487 Page 85-91 of the Records of Otero County.

Disclosure statement as required by the New Mexico Subdivision Act is recorded in Book — Page — of the Records of Otero County.

Approved this 29th day of June 1980.

John E. Kinz, Examining Surveyor — 1553, N.M. Registration No.

Approved this 8TH day of SEPT. 1980.
OTERO COUNTY PLANNING COMMISSION — BOARD OF COUNTY COMMISSIONERS OTERO COUNTY, N.M.
Robert R. Bell, Chairman — Attest: Earl O. Reed, Secretary — William E. Thornton, Chairman — Attest: Margaret D. Landers, County Clerk

Approved this 27 day of Feb. 1980.

BASIL SMITH ENGINEERING COMPANY
El Paso, Texas

TIMBERON SUBDIVISION UNIT 15
BK 26 PG 55-56
2OF5

88

T-15

88



TIMBERON SUBDIVISION

UNIT-15

PORTION OF SECTIONS 11, 14 & 23
T-19-S, R-12-E, N.M.P.M.
OTERO COUNTY, NEW MEXICO

445 LOTS — 171.370 ACRES
Scale: 1" = 100' — February 1980
BASIL SMITH ENGINEERING COMPANY
El Paso, Texas — SHEET 3 OF 5 SHEETS

T—15

TIMBERON SUBDIVISION

UNIT-15

PORTION OF SECTIONS 11, 14 & 23
T-19-S, R-12-E, N.M.P.M.
OTERO COUNTY, NEW MEXICO

445 LOTS 171.370 ACRES

Scale: 1"= 100' February 1980

BASIL SMITH ENGINEERING COMPANY
El Paso, Texas





Typical Road Section

90° Curve Return Data
R=31.42'
C=28.28'
R=20.00'
T=20.00'
L=30.00'00"
Chord Bearing - See Plat

(L) & (M) Curve Data
R=91.35'
C=83.79'
R=50.00'
T=49.15'
L=95°56'08"
M=N13°21'39"W

(J)
R=31.42'
C=28.28'
R=20.00'
T=20.00'
L=90°00'00"
S 40°34'00"W

(K)
R=102.18'
C=102.36'
R=133.12'
T=38.40'
L=24°43'20"
S 73°12'00"W

Future R.U.P. Section 2
(Not a part of this Plat)

SHEET 4 OF 5 SHEETS

T-15


POUNDS ROAD
MILES LOOP
LYRA WAY
URANUS DRIVE
HYDRA LN.
VEGA DR.
HUFF AVENUE
SATURN STREET
GEMINI ROAD
PLUTO WAY
BLOCK - 163
BLOCK - 167
BLOCK - 169
BLOCK - 170
BLOCK - 171
BLOCK - 172
BLOCK - 168
BLOCK - 173
Utility Easement
15' Utility Easement
30' Utility Easement
S 13°12'00" W - 1727.00'
N 13°12'00" E - 1382.74'
S 13°12'00" W - 1872.00'
S 13°12'00" W - 345.00'
S 11°39'00" W - 600.68'
S 11°39'00" W - 545.10'
S 11°39'00" W - 815.97'
S 11°39'00" W - 133.32'
S 05°22'00" W - 354.12'
S 05°22'00" W - 329.35'
S 54°00'00" W - 825.04'
S 04°46'00" E - 550.00'
S 04°46'00" E - 1033.88'
S 04°46'00" E - 288.79'
S 04°46'00" E - 372.79'
S 04°46'00" E - 185.79'
S 04°46'00" E - 105.73'
S 04°46'00" E - 90.00'
S 04°46'00" E - 105.00