


A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY, SUBDIVISION, AND MONUMENTATION OF SECTIONS 2 & 11 SITUATED IN T17S, R11E, NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO



SECTION 2, T17S, R11E, N.M.P.M.

THIS PLAT REPRESENTS A RECORD OF THE RESURVEY, SUBDIVISION AND MONUMENTATION OF SECTIONS 2 AND 11, TOWNSHIP 17 SOUTH, RANGE 11 EAST, NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO, WHICH CONSTITUTES A PORTION OF THE PROPERTY LINES OF THE LINCOLN NATIONAL FOREST.

THE ORIGINAL SUBDIVISION AND MONUMENTATION OF T17S, R11E, WAS EXECUTED BY J. TURLEY IN 1902 AND 1903. A DILIGENT SEARCH HAS BEEN MADE FOR ALL CORNERS ESTABLISHED AS A RESULT OF THAT SURVEY.

ALL SURVEY WORK HAS BEEN IN STRICT ACCORDANCE WITH THE "MANUAL OF INSTRUCTIONS FOR THE SURVEY OF THE PUBLIC LANDS OF THE UNITED STATES, 1973" PREPARED BY THE BUREAU OF LAND MANAGEMENT. AZIMUTH HAS BEEN DETERMINED BY SOLAR OBSERVATION. DISTANCES HAVE BEEN MEASURED ELECTRONICALLY. THE DISTANCES AND BEARINGS SHOWN ON THIS PLAT WHICH WERE A RESULT OF THIS SURVEY ARE ACTUAL FIELD DATA. THE DISTANCES AND BEARINGS HAVE NOT BEEN BALANCED.

THE RESURVEY, SUBDIVISION, MONUMENTATION AND RECORD THEREOF IS FOR THE PURPOSE OF IDENTIFYING AND PERPETUATING THE EVIDENCE OF THE ORIGINAL SURVEY AND FOR LOCATING THE BOUNDARIES BETWEEN LINCOLN NATIONAL FOREST AND PRIVATE OWNED LAND.

THIS RESURVEY, SUBDIVISION, MONUMENTATION AND RECORD THEREOF WAS PREPARED AS A RESULT OF THE REQUEST OF THE SUPERVISOR, LINCOLN NATIONAL FOREST. THE CONTRACT FOR THE SURVEY WITH SPECIAL INSTRUCTIONS FOR THE SURVEY IS NUMBER 16-2428 DATED AUGUST 30, 1977. THE CONTRACT WAS AWARDED TO BURKE/COLLINS/ASSOCIATES, P.C., CONSULTING ENGINEERS AND LAND SURVEYORS, ALAMOGORDO, NEW MEXICO.

CERTIFICATE

THIS IS TO CERTIFY THAT I AM A REGISTERED LAND SURVEYOR OF THE STATE OF NEW MEXICO, THAT THIS PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY DIRECTION AND THAT THE SAME IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DARRYL T. COLLINS, BURKE/COLLINS/ASSOCIATES, P.C., CONSULTING ENGINEERS & LAND SURVEYORS, ALAMOGORDO, NEW MEXICO.

Darryl T. Collins




NOTE: BEARINGS ARE ROUNDED TO THE NEAREST 30 SECONDS.



LEGEND

- CORNER REMONUMENTED/MONUMENTED.....●
- FOUND G.L.O. OR B.L.M. BRASS CAP.....⊙
- FOUND EVIDENCE BELIEVED ACCEPTABLE.....⊗
- BOUNDARY OF NATIONAL FOREST LAND.....———
- PORTION OF SURVEY NOT A FOREST SERVICE PROPERTY LINE.....- - - - -
- ORIGINAL SURVEY LINE NOT INCLUDED IN THIS SURVEY.....- - - - -




BURKE / COLLINS / ASSOCIATES, P.C.
CONSULTING ENGINEERS
SURVEYORS

ALAMOGORDO NEW MEXICO RUIDOSO

DRAWN BY: R.S. CHECKED BY: D.T.C. DATE: 12 / 77

A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY, SUBDIVISION, AND MONUMENTATION OF SECTIONS 2 & 11

SITUATED IN T17S, R11E, NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO



SECTION 11, T17S, R11E, N.M.P.M.



NOTE: BEARINGS ARE ROUNDED TO THE NEAREST 30 SECONDS.

SHEET 2 OF 7

BURKE/COLLINS/ASSOCIATES, P.C.
CONSULTING ENGINEERS
SURVEYORS

ALAMOGORDO NEW MEXICO RUIDOSO

DRAWN BY R.S. CHECKED BY D.T.C. DATE 12/77

Daryl J. Collins
DARYL J. COLLINS

A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY, SUBDIVISION, AND MONUMENTATION OF SECTIONS 2 & 11 SITUATED IN T17S, R11E, NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO

SECTION 2, T17S, R11E, NMPM

ACCEPTED EVIDENCE OF FOUND CORNERS OF RECORD USED FOR THIS SURVEY. BEARING TREE DATA AS SHOWN IS AS SUPPLIED BY THE FOREST SERVICE AND HAS NOT BEEN CHECKED BY THIS SURVEYOR.

SOUTHEAST CORNER

A ROCK MONUMENT, MKD. 1 NOTCH ON THE EAST FACE AND 5 NOTCHES ON THE SOUTH.
NO BEARING TREES RECORDED.

SOUTH ONE QUARTER

A 6" X 6" LIMESTONE EXTENDING 8" ABOVE A MOUND OF STONE 18" IN DIAM., MKD. 1/4 ON THE NORTH SIDE.

FROM WHICH
A FIR, 12 INS. IN DIAM., BEARS S 37° E, 15 LKS. DIST., NO SCRIBING IN BLAZE.
A FIR, 11 INS. IN DIAM., BEARS N 47° W, 13 LKS. DIST., NO SCRIBING IN BLAZE.

SOUTHWEST CORNER

A STONE MONUMENT MKD. WITH 5 NOTCHES ON THE SOUTH AND 2 NOTCHES ON THE EAST FACE.

FROM WHICH
A FIR, 20 INS. IN DIAM., BEARS S 60° E, 15 LKS. DIST., BLAZE OVERGROWN.
A FIR, 14 INS. IN DIAM., BEARS N 40° E, 36 LKS. DIST., MKD. T17S, R11E S2.
A FIR, 14 INS. IN DIAM., BEARS S 64° W, 75 LKS. DIST., MKD. T17S, R11E, S10
A FIR, 18 INS. IN DIAM., BEARS N 23° W, MKD. T17S, R11E, S3 BT.

WEST ONE QUARTER

A LIMESTONE PROJECTING 3 INS. ABOVE THE GROUND, MKD. 1/4 ON THE WEST FACE

FROM WHICH
A FIR, 20 INS. IN DIAM., BEARS S 60° E, 27 LKS. DIST.
A FIR, 20 INS. IN DIAM., BEARS S 6° W, 28 LKS. DIST.


NORTHWEST CORNER

A 6" X 6" X 12" LIMESTONE, MKD. WITH 2 NOTCHES ON EAST FACE AND 3 NOTCHES ON WEST FACE.

FROM WHICH
A PONDEROSA PINE, 10 INS. IN DIAM., BEARS S 43° W, 48 LKS. DIST., OPEN BLAZE.
A PONDEROSA PINE, 10 INS. IN DIAM., BEARS S 40° E, 37 LKS. DIST., OPEN BLAZE.

SOUTHWEST CORNER, SECTION 35, T16S, R11E

STANDARD 2 IN. DIAM. GLO IRON POST PROJECTING 6 INS. ABOVE THE GROUND WITH BRASS CAP MKD:




FROM WHICH

A PINE, 16 INS. IN DIAM., BEARS N 17° W, 67 LKS. DIST., BLAZE OVERGROWN.
A FIR, 24 INS. IN DIAM., BEARS N 56° E, 99 LKS. DIST., BLAZE OVERGROWN.

SOUTH ONE QUARTER, SECTION 35, T16S, R11E


STANDARD 1" DIAM. GLO IRON POST PROJECTING 9 INS. ABOVE THE GROUND WITH BRASS CAP MKD:



NO BEARING TREES RECORDED.

SOUTHEAST CORNER, SECTION 35, T16S, R11E

STANDARD 2" DIAM. GLO IRON POST PROJECTING 8 INS. ABOVE THE GROUND WITH BRASS CAP MKD:




NO BEARING TREES RECORDED.

CORNERS ESTABLISHED BY THIS SURVEY

NORTH ONE QUARTER


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
A WHITE FIR, 15 INS. IN DIAM., BEARS NORTH, 35.9 LKS. DIST., MKD. X BT.
A DOUGLAS FIR, 21 INS. IN DIAM., BEARS S 50° E, 14.8 LKS. DIST., MKD. X BT.

NORTHEAST CORNER


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
ORIGINAL BEARING TREE: A LIMBER PINE, 20 INS. IN DIAM., BEARS S 77° E, 208 LKS. DIST., BLAZE OVERGROWN.
NEW BEARING TREE: A DOUGLAS FIR, 15 INS. IN DIAM., BEARS N 47° W 121 LKS. DIST., MKD. X BT.
A TELEPHONE POLE, 12 INS. IN DIAM., BEARS S 43° W, 57.3 LKS. DIST. MKD. WITH NAIL IN POLE.

EAST ONE QUARTER


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
A DOUGLAS FIR, 28 INS. IN DIAM., BEARS N 56° E, 29.8 LKS. DIST., MKD. X BT.
A DOUGLAS FIR, 18 INS. IN DIAM., BEARS S 8° E, 56.7 LKS. DIST., MKD. X BT.

S 1/16

SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 16 INS. BASE TO TOP OF ALUMINUM CAP MKD.



David T. Collins



SHEET 3 OF 7

BURKE / COLLINS / ASSOCIATES, P.C.
CONSULTING ENGINEERS
SURVEYORS

ALAMOGORDO NEW MEXICO RUIDOSO


CHECKED BY D.T.C.	DATE 1/78
----------------------	--------------

A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY, SUBDIVISION, AND MONUMENTATION OF SECTIONS 2 & 11 SITUATED IN T17S, R11E, NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO

FROM WHICH
A DOUGLAS FIR, 13 INS. IN DIAM., BEARS S 20° E, 34.4 LKS. DIST., MKD. X BT.
X BT.
A DOUGLAS FIR, 10 INS. IN DIAM., BEARS S 76° E, 39.7 LKS. DIST., MKD. X BT.

E-E 1/64


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
A LIMBER PINE, 22 INS. IN DIAM., BEARS N 34° E, 29.9 LKS. DIST., MKD. X BT.
A LIMBER PINE, 27 INS. IN DIAM., BEARS S 56° E, 25.2 LKS. DIST., MKD. X BT.

W-E-E 1/256


CORNER FALLS IN A TREE STUMP, SET A 1/2 IN. REBAR IN STUMP AT TRUE CORNER LOCATION; SET AN ALUMINUM POST WITNESS CORNER ON LINE S 0° 05' 30" W, 5.61 LKS. SOUTH OF TRUE CORNER; ALUMINUM POST IS 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
A DOUGLAS FIR, 10 INS. IN DIAM., BEARS N 40° E, 14 LKS. DIST., MKD. X BT.
A DOUGLAS FIR, 14 INS. IN DIAM., BEARS N 47° W, 23 LKS. DIST., MKD. X BT.

E-1/16


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 13 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
A WHITE FIR, 15 INS. IN DIAM., BEARS S 16° E, 26 LKS. DIST., MKD. X BT.
A WHITE FIR, 22 INS. IN DIAM., BEARS N 52° W, 30.3 LKS. DIST., MKD. X BT.

W-1/16


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 17 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
A WHITE FIR, 14 INS. IN DIAM., BEARS N 71° E, 34.1 LKS. DIST., MKD. X BT.
A WHITE FIR, 11 INS. IN DIAM., BEARS S 24° E, 26.1 LKS. DIST., MKD. X BT.
A 3/4 INS. IRON PIPE BEARS N 88° 57' W, A DISTANCE OF 14.48 FEET.

S-1/16


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 16 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
A DOUGLAS FIR 14 INS. IN DIAM., BEARS S 60° E, 15.9 LKS. DIST., MKD. X BT.
A PONDEROSA PINE, 16 INS. IN DIAM., BEARS S 25° W, 33.5 LKS. DIST., MKD. X BT.

C-S-S 1/64


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 24 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE, 18 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
A WHITE FIR, 18 INS. IN DIAM., BEARS S 14° W, 38.2 LKS. DIST., MKD. X BT.
A WHITE FIR, 10 INS. IN DIAM., BEARS S 77° E, 74.2 LKS. DIST., MKD. X BT.

C-S 1/16


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
A FIR, 10 INS. IN DIAM., BEARS N 33° W, 32.9 LKS. DIST., MKD. X BT.
A LIMBER PINE, 9 INS. IN DIAM., BEARS N 84° E, 62.9 LKS. DIST., MKD. X BT.

C-1/4



SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
A WHITE FIR, 28 INS. IN DIAM., BEARS N 06° W, 62.4 LKS. DIST., MKD. X BT.
A DOUGLAS FIR, 12 INS. IN DIAM., BEARS S 71° E, 29.6 LKS. DIST., MKD. X BT.

C-E 1/16

SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 23 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE, 22 INS. BASE TO TOP OF ALUMINUM CAP MKD.



SHEET 4 OF 7

BURKE / COLLINS / ASSOCIATES, P.C.
CONSULTING ENGINEERS
SURVEYORS

ALAMOGORDO NEW MEXICO RUIDOSO

CHECKED BY	DATE
D.T.C.	1/78

A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY, SUBDIVISION, AND MONUMENTATION OF SECTIONS 2 & 11 SITUATED IN T17S, R11E, NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO

FROM WHICH
A LIMBER PINE, 21 INS. IN DIAM., BEARS S 79° E, 68.2 LKS. DIST., MKD. X BT.
A LIMBER PINE, 21 INS. IN DIAM., BEARS N 7° W, 29.6 LKS. DIST., MKD. X BT.

NW-SW-SE 1/256

SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 19 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE, 20 INS. BASE TO TOP OF ALUMINUM CAP MKD.

T17S R11E
S 2
NW-SW-SE
 $\frac{1}{256}$
LS 4971
1977

FROM WHICH
A DOUGLAS FIR, 10 INS. IN DIAM., BEARS N 82° E, 51.4 LKS. DIST., MKD. X BT.
A DOUGLAS FIR, 15 INS. IN DIAM., BEARS N 11° E, 18.8 LKS. DIST., MKD. X BT.

SW 1/16

SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 19 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE, 34 INS. BASE TO TOP OF ALUMINUM CAP MKD.

T17S R11E
SW $\frac{1}{16}$ + S 2
LS 4971
1977

FROM WHICH
A LIMBER PINE, 21 INS. IN DIAM., BEARS S 30° E, 347.7 LKS. DIST., MKD. X BT.
A TELEPHONE POLE BEARS S 69° E, 218.8 LKS. DIST., MKD. X BT.

SECTION 11, T17S, R11E, NMPM

ACCEPTED EVIDENCE OF FOUND CORNERS OF RECORD USED FOR THIS SURVEY. BEARING TREE DATA AS SHOWN IS AS SUPPLIED BY THE FOREST SERVICE AND HAS NOT BEEN CHECKED BY THIS SURVEYOR.

SOUTHEAST CORNER

A 6" x 8" x 12" LIMESTONE, MKD. WITH 4 NOTCHES ON SOUTH FACE, 2 NOTCHES ON NORTH FACE, AND 1 NOTCH ON EAST FACE.

FROM WHICH
A FIR, 18 INS. IN DIAM., BEARS S 14° W, 11 LKS. DIST.
A FIR, 10 INS. IN DIAM., BEARS N 77° W, 14 LKS. DIST.

SOUTH ONE QUARTER

A 16" X 10" X 7" LIMESTONE, MKD. 1/4 ON NORTH FACE.

FROM WHICH
A BALSAM, 12 INS. IN DIAM., BEARS N 66° W, 23 LKS. DIST., OPEN BLAZE
A BALSAM, 20 INS. IN DIAM., BEARS N 17° E, 30 LKS. DIST., OPEN BLAZE

WEST ONE QUARTER

A 7" X 12" LIMESTONE EXTENDING 10" ABOVE THE GROUND, MKD. 1/4 ON THE WEST FACE.

FROM WHICH
A FIR, 14 INS. IN DIAM., BEARS S 22° W, 54 LKS. DIST., CLOSED BLAZE.
A FIR, 13 INS. IN DIAM., DOWN AND ROTTED, BEARS N 22° E, OPEN BLAZE.

EAST ONE QUARTER

A 12" X 6" X 8" LIMESTONE EXTENDING 8" ABOVE SMALL ROCK MOUND, MKD. 1/4 ON WEST FACE.

FROM WHICH
A PONDEROSA PINE, 10 INS. IN DIAM., BEARS S 75° E, 18 LKS. DIST., OPEN BLAZE.
A FIR, 14 INS. IN DIAM., BEARS S 61° W, 27 LKS. DIST., OPEN BLAZE.

CORNERS ESTABLISHED BY THIS SURVEY

N-N-N 1/256

SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.

T17S R11E
N-N-N
 $\frac{1}{256}$
S 11 | S 12
LS 4971
1977

FROM WHICH
A DOUGLAS FIR, 16 INS. IN DIAM., BEARS S 29° E, 18.4 LKS. DIST., MKD. X BT.
A WHITE FIR, 14 INS. IN DIAM., BEARS N 23° E, 12.9 LKS. DIST., MKD. X BT.

S-N-N 1/256

SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 22 INS. IN THE GROUND ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.

T17S R11E
S-N-N
 $\frac{1}{256}$
S 11 | S 12
LS 4971
1977

FROM WHICH
A LIMBER PINE, 16 INS. IN DIAM., BEARS N 09° E, 12.1 LKS. DIST. MKD. X BT.
A DOUGLAS FIR, 21 INS. IN DIAM., BEARS S 49° E, 13.0 LKS. DIST. MKD. X BT.

N 1/16

SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 15 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.

T17S R11E
N $\frac{1}{16}$
S 11 | S 12
LS 4971
1977

FROM WHICH
A LIMBER PINE, 20 INS. IN DIAM., BEARS N 58° E, 44.3 LKS. DIST., MKD. X BT.
A DOUGLAS FIR, 12 INS. IN DIAM., BEARS N 31° W, 33.5 LKS. DIST., MKD. X BT.

C 1/4

SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.

T17S R11E
C $\frac{1}{4}$ + S 11
LS 4971
1977

FROM WHICH
A WHITE FIR, 16 INS. IN DIAM., BEARS S 10° W, 51.5 LKS. DIST. MKD. X BT.
A WHITE FIR, 26 INS. IN DIAM., BEARS N 42° W, 90.3 LKS. DIST. MKD. X BT.

C-N 1/16

SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 22 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE, 26 INS. BASE TO TOP OF ALUMINUM CAP MKD.

T17S R11E
C
N $\frac{1}{16}$ | S 11
C
LS 4971
1977



SHEET 6 OF 7

BURKE/COLLINS/ASSOCIATES, P.C.
CONSULTING ENGINEERS
SURVEYORS

ALAMOGORDO NEW MEXICO RUIDOSO


CHECKED BY DATE
D.T.C. 1/78

A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY, SUBDIVISION, AND MONUMENTATION OF SECTIONS 2 & 11 SITUATED IN T17S, R11E, NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO

FROM WHICH
 A LIMBER PINE 16 INS. IN DIAM., BEARS S 46° W, 44.4 LKS. DIST. MKD. X BT.
 A WHITE FIR, 12 INS. IN DIAM., BEARS N 24° W, 22.7 LKS. DIST., MKD.
 X T.
 A 3/4 INS. IRON PIPE BEARS S 02° 03' E, A DISTANCE OF 18.57 FEET.

C-E 1/16

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 15 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.




FROM WHICH

A DOUGLAS FIR, 27 INS. IN DIAM., BEARS N 16° E, 13.6 LKS. DIST., MKD. X BT.
 A DOUGLAS FIR, 23 INS. IN DIAM., BEARS S 60° E, 109 LKS. DIST., MKD. X BT

NE 1/16

SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 36 INS. BASE TO TOP OF ALUMINUM CAP MKD.




FROM WHICH

A LIMBER PINE, 22 INS. IN DIAM., BEARS N 73° E, 30.2 LKS. DIST., MKD. X BT.
 A DOUGLAS FIR, 19 INS. IN DIAM., BEARS S 01° W, 30.3 LKS. DIST., MKD. X BT.

C-E-NE 1/64


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND TO SOLID ROCK, ENCIRCLED BY A MOUND OF STONE, 36 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
 A DOUGLAS FIR, 10 INS. IN DIAM., BEARS N 75° E, 66.2 LKS. DIST., MKD. X BT.
 A DOUGLAS FIR, 20 INS. IN DIAM., BEARS S 28° E, 38.8 LKS. DIST., MKD. X BT.

C-W-E-NE 1/256


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 23 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE, 18 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
 A FENCE POST, BEARS N 07° W, 52.1 LKS. DIST., MKD WITH NAIL IN POST.
 A TELEPHONE POLE, BEARS N 67° E, 78.5 LKS. DIST., MKD. WITH NAIL IN POLE.

C-S-NE-NE 1/256


SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
 A DOUGLAS FIR, 33 INS. IN DIAM. BEARS S 31° E, 198.4 LKS. DIST., MKD
 X BT.
 A POWER POLE, BEARS S 89° W, 216.3 LKS. DIST., MKD X

C-N-NE-NE 1/256

SET AN ALUMINUM POST, 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE, 24 INS. BASE TO TOP OF ALUMINUM CAP MKD.



FROM WHICH
 A DOUGLAS FIR, 33 INS. IN DIAM., BEARS N 15° E, 161 LKS. DIST., MKD.
 X BT.
 A NE HOUSE CORNER, BEARS S 51° W, 100.0 LKS. DIST., MKD X.

STATE OF NEW MEXICO
 OTERO COUNTY
 FILED FOR RECORD IN MY OFFICE
 This 28th day of June 1978
 At 8:50 o'clock A.M. and duly recorded
 in Book No. 22 Page 38-44 of
 the records of Otero County, New Mexico
 Margaret D. Sanchez
 County Clerk
 Kate A. Sanchez, Deputy

34563



SHEET 7 OF 7

BURKE / COLLINS / ASSOCIATES, P.C.
 CONSULTING ENGINEERS
 SURVEYORS

ALAMOGORDO NEW MEXICO RUIDOSO

CHECKED BY DATE
 D.T.C. 1/78