


A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY , SUBDIVISION , AND MONUMENTATION OF SECTIONS 3 , 9 , 10 , 15 & 16 SITUATED IN T.16 S. , R.11 E. , NEW MEXICO PRINCIPAL MERIDIAN , NEW MEXICO



THIS PLAT REPRESENTS A RECORD OF THE RESURVEY, SUBDIVISION, AND MONUMENTATION OF SECTIONS 3, 9, 10, 15, AND 16, TOWNSHIP 16 SOUTH, RANGE 11 EAST, NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO, WHICH CONSTITUTES A PORTION OF THE PROPERTY LINES OF THE LINCOLN NATIONAL FOREST.

A DEPENDENT RESURVEY OF THE ORIGINAL SURVEY OF T16S, R11E, WAS EXECUTED BY EVERETT H. KIMMEL, DONALD E. HARDING, AND GLEN L. ZOPHY, IN 1937. A DILIGENT SEARCH HAS BEEN MADE FOR ALL CORNERS ESTABLISHED AS A RESULT OF THAT SURVEY.

ALL SURVEY WORK HAS BEEN IN STRICT ACCORDANCE WITH THE "MANUAL OF INSTRUCTIONS FOR THE SURVEY OF THE PUBLIC LANDS OF THE UNITED STATES, 1973", PREPARED BY THE BUREAU OF LAND MANAGEMENT. AZIMUTH HAS BEEN DETERMINED BY SOLAR OBSERVATION. DISTANCES HAVE BEEN MEASURED ELECTRONICALLY, THE DISTANCES AND BEARINGS SHOWN ON THIS PLAT WHICH WERE A RESULT OF THIS SURVEY ARE ACTUAL FIELD DATA. THE DISTANCES AND BEARINGS HAVE NOT BEEN BALANCED.

THE RESURVEY, SUBDIVISION, MONUMENTATION AND RECORD THEREOF IS FOR THE PURPOSE OF IDENTIFYING AND PERPETUATING THE EVIDENCE OF THE ORIGINAL SURVEY AND FOR LOCATING THE BOUNDARIES BETWEEN LINCOLN NATIONAL FOREST AND PRIVATE OWNED LAND.





THIS RESURVEY, SUBDIVISION, MONUMENTATION AND RECORD THEREOF WAS PREPARED AS A RESULT OF THE REQUEST OF THE SUPERVISOR, LINCOLN NATIONAL FOREST. THE CONTRACT FOR THE SURVEY WITH SPECIAL INSTRUCTIONS FOR THE SURVEY IS CONTRACT NUMBER 53-8371-9-2669 DATED SEPTEMBER 27, 1979. THE CONTRACT WAS AWARDED TO BURKE/COLLINS/ASSOCIATES, P.C., CONSULTING ENGINEERS AND LAND SURVEYORS, ALAMOGORDO, NEW MEXICO.

CERTIFICATE

THIS IS TO CERTIFY THAT I AM A REGISTERED LAND SURVEYOR OF THE STATE OF NEW MEXICO, THAT THIS PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY DIRECTION AND THAT THE SAME IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.


DARRYL T. COLLINS, BURKE/COLLINS/ASSOCIATES, P.C., CONSULTING ENGINEERS & LAND SURVEYORS, ALAMOGORDO, NEW MEXICO.

Darryl T. Collins



LEGEND

- CORNER REMONUMENTED OR MONUMENTED
- FOUND G.L.O. BRASS CAP OR B.L.M. BRASS CAP
- FOUND USDA - FS ALUMINUM CAP X
- NATIONAL FOREST BOUNDARY
- ORIGINAL SURVEY LINE NOT INCLUDED IN THIS SURVEY
- PROTRACTION LINES SURVEYED
- RECORD GLO BEARING AND DISTANCE



Bk 26 Pg 7A
SHEET 1 OF 9


BURKE / COLLINS / ASSOCIATES, P.C.
CONSULTING ENGINEERS
SURVEYORS

ALAMOGORDO NEW MEXICO RUIDOSO

CHECKED BY: **DTC** DRAWN BY: **JDC** DATE: **03/80**

A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY, SUBDIVISION, AND MONUMENTATION OF SECTIONS 3, 9, 10, 15 & 16 SITUATED IN T.16 S., R.11 E., NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO

RECORDED IN COUNTY OF OFFICE DATE TIME BOOK PAGE.....



CERTIFICATE

THIS IS TO CERTIFY THAT I AM A REGISTERED LAND SURVEYOR OF THE STATE OF NEW MEXICO, THAT THIS PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY DIRECTION AND THAT THE SAME IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

DARRYL T. COLLINS, BURKE/COLLINS/ASSOCIATES, P.C., CONSULTING ENGINEERS & LAND SURVEYORS, ALAMOGORDO, NEW MEXICO.

Darryl T. Collins



MATCH TO SHEET 1

Bk 26 Pg 8A

SHEET 2 OF 9

BURKE / COLLINS / ASSOCIATES, P.C. CONSULTING ENGINEERS SURVEYORS ALAMOGORDO NEW MEXICO RUIDOSO CHECKED BY: DTC DRAWN BY: JDC DATE: 03 / 80


A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY , SUBDIVISION , AND MONUMENTATION OF SECTIONS 3 , 9 , 10 , 15 & 16 SITUATED IN T.16S., R.11E., NEW MEXICO PRINCIPAL MERIDIAN , NEW MEXICO

ACCEPTED EVIDENCE OF FOUND CORNERS OF RECORD USED FOR THIS SURVEY. BEARING TREE DATA AS SHOWN IS AS SUPPLIED BY THE FOREST SERVICE AND HAS NOT BEEN CHECKED BY THIS SURVEYOR.

SECTION 3, T16S, R11E, NMPM

NORTHEAST SECTION CORNER


A STANDARD GLO IRON POST, FIRMLY SET, BUT DISTURBED. CAP IS AT GROUND LEVEL, WITH BRASS CAP MKD:



RECORD BEARING TREES DESTROYED

EAST ONE QUARTER CORNER


A STANDARD GLO IRON POST, FIRMLY SET, PROJECTING 17" ABOVE THE GROUND, WITH BRASS CAP MKD:



FROM WHICH
A PINON 12" DIAM., BEARS S 45° E, 43 LKS DIST. BLAZE OPEN, MKD 1/4 S2 BT.
A PINON 9" DIAM., BEARS N 83° W, 19 LKS DIST. BLAZE OPEN MKD 1/4 S3 BT.

SOUTH ONE SIXTEENTH CORNER


A STANDARD ALUMINUM POST 30" LONG, 24" IN THE GROUND, WITH ALUMINUM CAP MKD:



NO BEARING TREES OF RECORD

SOUTHEAST SECTION CORNER


A STANDARD GLO IRON POST, FIRMLY SET, PROJECTING 12" ABOVE THE GROUND, WITH BRASS CAP MKD:



FROM WHICH
A PONDEROSA PINE, 22" DIAM., BEARS S 11° W, 153 LKS DIST. BLAZE OPEN, MKD T16S R11E S10 BT.

SOUTH ONE QUARTER CORNER


A GLO IRON POST, 3 FT. LONG, 1 IN. DIAM., 27 INS. IN THE GROUND, WITH BRASS CAP MKD:



FROM WHICH
A PINON, 18 INS. DIAM., BEARS N 39° W, 33 LKS DIST., BLAZE OPEN
A PINON, 7 INS. DIAM., BEARS S 77° E, 58 LKS DIST., BLAZE OPEN

SOUTHWEST SECTION CORNER

A STANDARD GLO IRON POST PROJECTING 5" OUT OF THE GROUND. FIRMLY SET. A MOUND OF STONE 3' X 2' X 8" AROUND BRASS CAP, AND MKD:



FROM WHICH
A SNAG JUNIPER, 17" DIAM., BEARS S 13° E, 74 LKS DIST. BLAZE OPEN, MKD T16S R11E S10 BT.
A PINON 8" DIAM., BEARS S 60° W, 49 LKS DIST. BLAZE OPEN. MKD T16S R11E S9 BT.
A JUNIPER SNAG 9" DIAM., BEARS N 29° W, 9 LKS DIST. BLAZE OPEN MKD BT.
A DETERIORATED PINON 6' LONG 6" DIAM., BEARS N 42° E, BLAZE OPEN MKD T16S R11E S3 BT.
A PINON 7" DIAM., BEARS S 60° E, 31 LKS DIST. BLAZE OPEN. MKD. T16S R11E S10 BT.

WEST ONE QUARTER CORNER


A STANDARD GLO IRON POST PROJECTING 9" ABOVE THE GROUND WITH BRASS CAP MKD:



FROM WHICH
AN OAK SNAG 5" DIAM., BEARS S 70° W, 18 LKS DIST. BLAZE CLOSED.
A CEDAR 4" DIAM., BEARS N 40° E, 24 LKS DIST. BLAZE OPEN BUT NOT LEGIBLE.

SOUTHWEST CORNER LOT 13


A STANDARD GLO IRON POST, PROTRUDING 5" ABOVE THE GROUND, FIRMLY SET WITH A MOUND OF STONE ON EAST SIDE, WITH BRASS CAP MKD:



NO BEARING TREES OF RECORD.

NORTHWEST SECTION CORNER


A STANDARD GLO IRON POST, FIRMLY SET, PROJECTING 10" ABOVE THE GROUND, SURROUNDED BY A MOUND OF STONE 31" X 24", WITH BRASS CAP MKD:



FROM WHICH
A PINON 5" DIAM., BEARS S 13° W, 20 LKS DIST., MKD T16S R11E S4 CC BT.
A PINON 9" DIAM., BEARS S 70° E, 19 LKS DIST., MKD T16S R11E S3 CC BT.

NORTH ONE QUARTER CORNER

A STANDARD GLO IRON POST PROJECTING 10" OUT OF THE GROUND WITH BRASS CAP MKD:




NO BEARING TREES FOUND.


SECTION 32, T15S, R12E, NMPM

SOUTH ONE QUARTER CORNER

A GLO IRON POST, 3 FT. LONG, 1 IN. DIAM., 27 INS. IN THE GROUND FOR WITNESS STANDARD 1/4 SEC. COR., RAISED A MOUND OF STONE 2-1/2 FT. AT BASE 2 FT. HIGH, NORTH OF COR., WITH BRASS CAP MKD:



NO BEARING TREES OF RECORD.



BURKE/COLLINS/ASSOCIATES, P.C.
CONSULTING ENGINEERS
SURVEYORS

ALAMOGORDO NEW MEXICO RUIDOSO


CHECKED BY: **DTC** DRAWN BY: **JDC** DATE: **03/80**

A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY , SUBDIVISION , AND MONUMENTATION OF SECTIONS 3 , 9 , 10 , 15 & 16 SITUATED IN T.16 S. , R.11 E. , NEW MEXICO PRINCIPAL MERIDIAN , NEW MEXICO

SECTION 9, T16S, R11E, NMPM

SOUTHEAST SECTION CORNER


A STANDARD GLO IRON POST IN CONCRETE TO TOP. 13" X 13" X 4.5", WITH BRASS CAP MKD:



NO EVIDENCE OF BT'S, NOT ESTABLISHED.

SOUTH ONE QUARTER CORNER


A STANDARD GLO IRON POST PROJECTING 12" ABOVE THE GROUND, FIRMLY SET, WITH MOUND OF STONE, WITH BRASS CAP MKD:



FROM WHICH
A PINON 12" DIAM., BEARS S 74° E, 72 LKS DIST.

SOUTHWEST SECTION CORNER


A STANDARD GLO IRON POST, PROJECTING 8" ABOVE THE GROUND, ALONGSIDE A MOUND OF STONE, WITH BRASS CAP MKD:



FROM WHICH
A PINON 9" DIAM., BEARS S 45° W, 9 LKS DIST., MKD T16S, R11E S17 BT.
A PINON 9" DIAM., BEARS S 35° E, 39 LKS DIST., MKD T16S R11E S16 BT.
A PINON 9" DIAM., BEARS N 57° W 28 LKS DIST. MKD T16S R11E S8 BT.
A PINON 8" DIAM., BEARS N 50° E, 34 LKS DIST. MKD T16S R11E S9 BT.

WEST ONE QUARTER CORNER


A GLO IRON POST, 3 FT LONG, 1 IN. DIAM., 27 INS. IN THE GROUND, WITH BRASS CAP MKD:



FROM WHICH
A PINON 8 INS. DIAM., BEARS S 87° E, 36 LKS DIST., BLAZE OPEN
A PINON 8 INS. DIAM., BEARS S 26° W, 23 LKS DIST., BLAZE OPEN

NORTHWEST SECTION CORNER

A STANDARD GLO IRON POST PROJECTING 15" ABOVE THE GROUND, FIRMLY SET, WITH A MOUND OF STONE WEST OF CORNER. THE BRASS CAP MKD AS SHOWN IN THE DIAGRAM. ORIGINAL STONE CORNER 28" LONG, 7" WIDE, 5" THICK; 5 GROOVES ON TOP & 4 GROOVES ON LEFT SIDE.




FROM WHICH
A PINON 10" DIAM., BEARS N 31° E, 37 LKS DIST. BLAZE OPEN MKD T16S R11E S4 BT.
A JUNIPER 20" DIAM., BEARS N 46° W, 60 LKS DIST. BLAZE OPEN MKD T16S R11E S5 BT.
A PINON 13" DIAM., BEARS N 63° E, 52 LKS DIST. BLAZE OPEN MKD T16S R11E S4 BT.
A PINON 8" DIAM., BEARS S 47° E, 62 LKS DIST. BLAZE OPEN MKD T16S R11E S9 BT.
A PINON 8-1/2" DIAM., BEARS S 80° W, 53 LKS DIST. BLAZE OPEN MKD T16S R11E S8 BT.
A PINON 6-1/2" DIAM., BEARS N 75° W, 28 LKS DIST.

SECTION 10, T16S, R11E, NMPM

EAST ONE QUARTER CORNER


A STANDARD GLO IRON POST, PROJECTING 8" OUT OF THE GROUND. FIRMLY SET, WITH BRASS CAP MKD:



FROM WHICH
A PINON 12" DIAM., BEARS S 33° E, 17 LKS DIST. BLAZE OPEN, SCRIBING VISIBLE BUT NOT LEGIBLE.
A PINON 8" DIAM., BEARS DUE WEST, 61 LKS DIST. BLAZE OPEN SCRIBING VISIBLE BUT NOT LEGIBLE.

SOUTHEAST SECTION CORNER


A GLO IRON POST, 3 FT. LONG, 2 INS. DIAM., 27 INS. IN THE GROUND, WITH BRASS CAP MKD:



FROM WHICH
A FIR, 32 INS. DIAM., BEARS N 52° E, 70 LKS. DIST., BLAZE CLOSED
AN OAK, 5 INS. DIAM., BEARS S 72° E, 20 LKS. DIST., BLAZE CLOSED
A FIR, 21 INS. DIAM., BEARS S 45° W, 29 LKS. DIST., BLAZE CLOSED

SOUTH ONE QUARTER CORNER

A STANDARD GLO IRON POST, FIRMLY SET. PROJECTING 9.5" ABOVE THE GROUND. A SMALL SCATTERED MOUND OF STONE NORTH OF CORNER WITH BRASS CAP MKD:




NO BEARING TREES OF RECORD.

SECTION 15, T16S, R11E, NMPM

EAST ONE QUARTER CORNER

A STANDARD GLO IRON POST, FIRMLY SET, PROJECTING 8" ABOVE THE GROUND, WITH BRASS CAP MKD:



FROM WHICH
AN OAK 6" DIAM., BEARS N 71° E, 23 LKS DIST. BLAZE CLOSED.
A FIR 25" DIAM., BEARS S 55° W, 51 LKS DIST. BLAZE CLOSED.

SOUTH ONE QUARTER CORNER


A STANDARD GLO IRON POST PROJECTING 11" ABOVE THE GROUND, FIRMLY SET, WITH BRASS CAP MKD:




FROM WHICH
A FIR 21" DIAM., BEARS N 5° E, 27 LKS DIST. BLAZE CLOSED.
A FIR 15" DIAM., BEARS N 82° W, 51 LKS DIST. BLAZE CLOSED.

SOUTHWEST SECTION CORNER

A STANDARD GLO IRON POST, FIRMLY SET, PROJECTING 11.5" ABOVE THE GROUND. SURROUNDED BY SCATTERED STONES, WITH BRASS CAP MKD:



FROM WHICH
A PINE 19" DIAM., BEARS S 54° E, 52 LKS DIST. BLAZE PARTLY OPEN, MKD R11E S22.
A PINE 20" DIAM., BEARS N 4° E, 35 LKS DIST. BLAZE CLOSED
NO EVIDENCE OF BT BEARING N 53° W. 21 LKS DIST.



BURKE / COLLINS / ASSOCIATES, P.C.
CONSULTING ENGINEERS
SURVEYORS

ALAMOGORDO NEW MEXICO RUIDOSO

CHECKED BY: DTC DRAWN BY: JDC DATE: 03 / 80


A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY, SUBDIVISION, AND MONUMENTATION OF SECTIONS 3, 9, 10, 15 & 16 SITUATED IN T. 16 S., R. 11 E., NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO

CORNERS ESTABLISHED BY THIS SURVEY

SECTION 31, T15S, R12E, NMPM

EAST ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 20 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



NO BEARING TREES WITHIN LIMITS

SOUTHEAST SECTION CORNER

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 25 INS. IN THE GROUND, WITH CAP MKD:




NO BEARING TREES WITHIN LIMITS

SECTION 3, T16S, R11E, NMPM

NORTHWEST CORNER LOT 5


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 24 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



NO BEARING TREES WITHIN LIMITS


SOUTHWEST CORNER LOT 7

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 24 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



WEST ONE QUARTER CORNER

A STANDARD GLO IRON POST PROJECTING 8" ABOVE THE GROUND. FIRMLY SET. SURROUNDED BY A MOUND OF STONE 21" X 20", WITH BRASS CAP MKD:




FROM WHICH
A SNAG 21" DIAM., BEARS N 11° E, 63 LKS DIST. BLAZE VISIBLE BUT NOT LEGIBLE.
NO EVIDENCE OF BEARING TREE AT N 58° W.

SECTION 16, T16S, R11E, NMPM

SOUTH ONE QUARTER CORNER


A STANDARD GLO IRON POST, FIRMLY SET, WITH MOUND OF STONE SOUTH-WEST OF CORNER. BRASS CAP PROJECTING 12" ABOVE THE GROUND, WITH BRASS CAP MKD:



FROM WHICH
A FIR 12" DIAM., BEARS N 78° W, 35 LKS DIST. BLAZE CLOSED.
A FIR 15" DIAM., BEARS N 15° E, 83 LKS DIST. BLAZE CLOSED.

WEST ONE QUARTER CORNER

A STANDARD GLO IRON POST, PROJECTING 14" ABOVE THE GROUND, FIRMLY SET, BRASS CAP SET 10° OFF, N 10° W, WITH BRASS CAP MKD:




FROM WHICH
A PINON 7-1/2" DIAM., BEARS N 10° E, 34 LKS DIST. MKD 1/4 S16 BT.
A PINON 8" DIAM., BEARS N 62° W, 38 LKS DIST. MKD 1/4 S17 BT

FROM WHICH
A PINON 5 INS. IN DIAM., BEARS N 45° E, 29.1 LKS DIST., MKD XBT
A PINON 10 INS. IN DIAM., BEARS N 65° W, 19.7 LKS DIST., MKD XBT

NORTHWEST CORNER LOT 12


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 24 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 20 INS. DIAM., AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 7 INS. IN DIAM., BEARS N 89° E, 7.6 LKS DIST. MKD. XBT
A PINON, 8 INS. IN DIAM., BEARS N 06° W, 16.5 LKS DIST. MKD. XBT

SOUTHEAST CORNER LOT 13


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 24 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 18 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 5 INS. IN DIAM., BEARS S 77° E, 33 LKS DIST. MKD. XBT
A PINON, 7 INS. IN DIAM., BEARS S 27° W, 23 LKS DIST. MKD. XBT

SOUTHWEST CORNER LOT 19

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 20 INS. IN DIAM., AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 9 INS. IN DIAM., BEARS N 68° E, 14.2 LKS DIST. MKD. XBT
A PINON, 10 INS. IN DIAM., BEARS S 02° W, 17.4 LKS DIST., MKD. XBT


David J. Collins
Bk 26 Pg 11

BURKE/COLLINS/ASSOCIATES, P.C.
CONSULTING ENGINEERS
SURVEYORS
ALAMOGORDO NEW MEXICO MUDOSO

A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY , SUBDIVISION , AND MONUMENTATION OF SECTIONS 3 , 9 , 10 , 15 & 16 SITUATED IN T.16 S., R.11 E., NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO

NORTHWEST CORNER LOT 23


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 18 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A CEDAR, 8 INS. IN DIAM., BEARS S 39° W, 20 LKS. DIST, MKD. XBT
A CEDAR, 10 INS. IN DIAM., BEARS N 32° W, 16.6 LKS. DIST, MKD. XBT

CENTER ONE QUARTER CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 25 INS. IN THE GROUND, WITH CAP MKD:



NO BEARING TREES WITHIN LIMITS

CENTER-SOUTH ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 18 INS. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 9 INS. IN DIAM., BEARS S 14° W, 38.8 LKS DIST, MKD XBT
A JUNIPER, 6 INS. IN DIAM., BEARS S 50° E, 16.7 LKS DIST, MKD XBT

NORTHEAST CORNER LOT 19


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 24 INS. IN THE GROUND, WITH CAP MKD:



FROM WHICH
A FIR, 6 INS. IN DIAM., BEARS N 10° E, 42 LKS. DIST., MKD XBT
A FIR, 3 INS. IN DIAM., BEARS N 83° W, 34.2 LKS. DIST., MKD XBT

SOUTHEAST CORNER LOT 16


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 20 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A FIR, 7 INS. IN DIAM., BEARS N 14° E, 25.4 LKS DIST., MKD XBT
A FIR, 14 INS. IN DIAM., BEARS S 37° W, 29.2 LKS DIST., MKD XBT

SOUTHEAST CORNER LOT 1

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, WITH CAP MKD:




FROM WHICH
A FIR, 12 INS. IN DIAM., BEARS N 77° E, 100 LKS DIST., MKD. XBT

SECTION 9, T16S, R11E, NMPM

EAST ONE QUARTER CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 18 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



NO BEARING TREES WITHIN LIMITS

NORTH ONE QUARTER CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 24 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 12 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



NO BEARING TREES WITHIN LIMITS

WEST ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 22 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 17 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A JUNIPER, 7 INS. IN DIAM., BEARS N 87° E, 20.3 LKS DIST, MKD. XBT
A PINON, 5 INS. IN DIAM., BEARS S 54° W, 24.5 LKS DIST, MKD. XBT

NORTHWEST ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 19 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 20 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:




FROM WHICH
A PINON, 7 INS. IN DIAM., BEARS S 63° E, 19.1 LKS DIST, MKD XBT
A PINON, 5 INS. IN DIAM., BEARS S 31° W, 37.3 LKS DIST, MKD XBT

CENTER NORTH ONE SIXTEENTH CORNER

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 19 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 5 INS. IN DIAM., BEARS N 15° W, 16.8 LKS DIST, MKD. XBT
AN ALLIGATOR JUNIPER, 8 INS. IN DIAM., BEARS S 71° W, 43.2 LKS DIST MKD. XBT



Bk 26 Pg 12
SHEET 6 OF 9

BURKE/COLLINS / ASSOCIATES, P.C.
CONSULTING ENGINEERS
SURVEYORS


ALABAMA NEW MEXICO MISSISSIPPI

CHECKED BY: *DTC* DRAWN BY: *JDC* DATE: *03/80*

A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY , SUBDIVISION , AND MONUMENTATION OF SECTIONS 3 , 9 , 10 , 15 & 16 SITUATED IN T.16 S., R.11 E., NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO

CENTER ONE QUARTER CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 22 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 7 INS. IN DIAM., BEARS N 61° E, 9.4 LKS DIST, MKD. XBT
A FIR, 12 INS. IN DIAM., BEARS S 42° E, 14.2 LKS DIST, MKD. XBT

CENTER EAST-WEST ONE SIXTY-FOURTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 22 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PONDEROSA PINE, 17 INS. IN DIAM., BEARS N 01° E, 29.4 LKS DIST. MKD. XBT
A PONDEROSA PINE, 10 INS. IN DIAM., BEARS N 69° W, 10.9 LKS DIST. MKD. XBT

CENTER EAST-SOUTHWEST ONE SIXTY-FOURTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 16 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A JUNIPER, 16 INS. IN DIAM., BEARS N 56° W, 24.8 LKS DIST, MKD. XBT
A PINON, 6 INS. IN DIAM., BEARS S 02° E, 12.3 LKS DIST, MKD. XBT

CENTER SOUTH ONE SIXTEENTH CORNER

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 22 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 18 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:




FROM WHICH
A PINON, 12 INS. IN DIAM., BEARS N 05° W, 17.6 LKS DIST. MKD. XBT
AN OAK, 6 INS. IN DIAM., BEARS S 76° E, 17.9 LKS DIST, MKD. XBT

SECTION 10, T16S, R11E, NWPM

WEST ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 24 INS. IN THE GROUND WITH CAP MKD:



FROM WHICH
A PINON, 8 INS. IN DIAM., BEARS S 77° E, 6.1 LKS DIST. MKD. XBT
A CEDAR, 10 INS. IN DIAM., BEARS N 24° W, 54.2 LKS DIST. MKD. XBT

NORTHWEST ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 21 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 24 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 7 INS. IN DIAM., BEARS N 87° E, 33 LKS DIST. MKD. XBT
A PINON, 6 INS. IN DIAM., BEARS S 06° W, 9.1 LKS DIST. MKD. XBT

CENTER SOUTH-NORTHWEST ONE SIXTY-FOURTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 24 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
AN ALLIGATOR JUNIPER, 13 INS. IN DIAM., BEARS N 74° W, 13.6 LKS DIST, MKD. XBT
A PINON, 8 INS. IN DIAM., BEARS N 34° E, 20.5 LKS DIST, MKD. XBT

CENTER SOUTH-NORTH ONE SIXTY-FOURTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 21 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 12 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 8 INS. IN DIAM., BEARS S 66° E, 30.3 LKS DIST, MKD. XBT
A PINON, 8 INS. IN DIAM., BEARS S 21° E, 13.9 LKS DIST, MKD. XBT

CENTER ONE QUARTER CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 19 INS. IN THE GROUND, WITH CAP MKD:



FROM WHICH
A PINON, 13 INS. IN DIAM., BEARS N 68° E, 48.6 LKS DIST, MKD. XBT
AN ALLIGATOR JUNIPER, 5 INS. IN DIAM., BEARS N 15° E, 40.9 LKS DIST, MKD. XBT

CENTER-EAST ONE SIXTEENTH CORNER

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 19 INS. IN THE GROUND, WITH CAP MKD:



FROM WHICH
A FIR, 14 INS. IN DIAM., BEARS S 74° E, 64.7 LKS DIST, MKD. XBT
A PONDEROSA PINE, 14 INS. IN DIAM., BEARS S 08° E, 47.7 LKS DIST, MKD. XBT




BURKE / COLLINS / ASSOCIATES, P.C.
CONSULTING ENGINEERS
SURVEYORS

ALAN GORDO NEW MEXICO R00000

A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY , SUBDIVISION , AND MONUMENTATION OF SECTIONS 3 , 9 , 10 , 15 & 16 SITUATED IN T.16 S. , R.11 E. , NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO

CENTER NORTH-SOUTHEAST ONE SIXTY-FOURTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 21 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 20 INS. DIAM. AT BASE TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 4 INS. IN DIAM., BEARS N 67° E, 15.8 LKS DIST, MKD. XBT
A PINON, 7 INS. IN DIAM., BEARS S 40° E, 11.2 LKS DIST, MKD. XBT

CENTER NORTH-SOUTH ONE SIXTY-FOURTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 21 INS. IN THE GROUND, WITH CAP MKD:



FROM WHICH
A FIR, 10 INS. IN DIAM., BEARS N 27° E, 37.9 LKS DIST, MKD. XBT
A FIR, 12 INS. IN DIAM., BEARS S 63° W, 14.5 LKS DIST, MKD. XBT

CENTER-SOUTH ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 19 INS. IN THE GROUND, WITH CAP MKD:



NO BEARING TREES WITHIN LIMITS

SOUTHWEST ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 21 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 20 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 9 INS. IN DIAM., BEARS N 25° W, 25.8 LKS DIST, MKD. XBT
A PINON, 8 INS. IN DIAM., BEARS N 71° E, 29.1 LKS DIST, MKD. XBT

WEST ONE SIXTEENTH CORNER

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 23 INS. IN THE GROUND, WITH CAP MKD:




FROM WHICH
AN ALLIGATOR JUNIPER, 12 INS. IN DIAM., BEARS N 43° E, 9.1 LKS DIST, MKD: XBT
AN ALLIGATOR JUNIPER, 10 INS. IN DIAM., BEARS N 41° W, 28.2 LKS DIST, MKD XBT

SECTION 15, T16S, R11E, NMPM

CENTER NORTH ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 20 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 20 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 10 INS. IN DIAM., BEARS N 68° E, 43.6 LKS DIST, MKD. XBT
A JUNIPER, 5 INS. IN DIAM, BEARS N 77° W, 19.2 LKS DIST, MKD. XBT

NORTHEAST ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 10 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 40 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 6 INS. IN DIAM., BEARS N 16° W, 9.5 LKS DIST, MKD XBT
A PINON, 11 INS. IN DIAM., BEARS S 56° E, 25.6 LKS DIST, MKD XBT

CENTER EAST ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 24 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 12 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A FIR, 11 INS. IN DIAM., BEARS N 88° E, 41.3 LKS DIST, MKD. XBT
A FIR, 6 INS. IN DIAM., BEARS S 02° W, 13.0 LKS DIST, MKD. XBT

CENTER ONE QUARTER CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 21 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 19 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A FIR, 13 INS. IN DIAM., BEARS S 30° E, 17.3 LKS DIST, MKD. XBT
A FIR, 17 INS. IN DIAM., BEARS S 30° W, 26.9 LKS DIST. MKD. XBT

CENTER SOUTH ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 21 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 20 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:




FROM WHICH
A FIR, 13 INS. IN DIAM., BEARS N 61° W, 12.9 LKS DIST, MKD. XBT
A FIR, 6 INS. IN DIAM., BEARS S 11° E, 44.3 LKS DIST, MKD. XBT

SOUTHWEST ONE SIXTEENTH CORNER

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 20 INS. IN DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A PINON, 8 INS. IN DIAM., BEARS N 54° E, 29.1 LKS DIST, MKD. XBT




BURKE/COLLINS/ASSOCIATES, PC
CONSULTING ENGINEERS
SURVEYORS

ALAMOGADO HEBERSHAW SIBERSO

A PORTION OF THE LINCOLN NATIONAL FOREST PROPERTY LINE RESURVEY , SUBDIVISION , AND MONUMENTATION OF SECTIONS 3 , 9 , 10 , 15 & 16 SITUATED IN T.16S., R.11E., NEW MEXICO PRINCIPAL MERIDIAN, NEW MEXICO

WEST ONE SIXTEENTH CORNER

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 24 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 16 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:




FROM WHICH
A FIR, 7 INS. IN DIAM., BEARS N 44° W, 47.1 LKS DIST, MKD. XBT
AN OAK, 7 INS. IN DIAM., BEARS N 55° E, 40.0 LKS DIST, MKD. XBT

SECTION 16, T16S, R11E, NMPM

NORTH ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 24 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 12 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A CEDAR, 7 INS. IN DIAM., BEARS S 75° W, 45.9 LKS DIST, MKD. XBT
A CEDAR, 14 INS. IN DIAM., BEARS S 21° W, 80.8 LKS DIST, MKD. XBT

NORTHEAST ONE SIXTEENTH CORNER


SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 21 INS. IN THE GROUND, WITH CAP MKD:



FROM WHICH
A FIR, 18 INS. IN DIAM., BEARS N 64° E, 8.3 LKS DIST, MKD. XBT
AN ALLIGATOR JUNIPER, 20 INS. IN DIAM., BEARS N 62° W, 15.2 LKS DIST, MKD. XBT.

EAST ONE SIXTEENTH CORNER

SET AN ALUMINUM POST 30 INS. LONG, 2-1/2 INS. IN DIAM., 18 INS. IN THE GROUND, ENCIRCLED BY A MOUND OF STONE 13 INS. DIAM. AT BASE RAISED TO TOP OF ALUMINUM CAP MKD:



FROM WHICH
A CEDAR, 8 INS. IN DIAM., BEARS N 25° E, 49.8 LKS DIST, MKD. XBT
A CEDAR, 7 INS. IN DIAM., BEARS S 73° E, 27.3 LKS DIST, MKD. XBT

STATE OF NEW MEXICO }
SHERIFF }
COUNTY }
FILED FOR RECORD IN MY OFFICE }
ON 5 May 80 }
2:40 }
In Book No. 26 Page 15 }
of }
the records of Grant County, New Mexico }
Margaret Sanchez }
Sheriff }
Shahid Khan }

52929

